

---

# **Unobservable Re-authentication for Smartphones**

**Lingjun Li, Xinxin Zhao, and Guoliang Xue**

# Outline

---


Motivation and Problem

Approach

Characterizing Gestures

Metric Design and Selection

Evaluations and Conclusions



Smartphones are very popular

# Motivation

- ▶ Prone to lifting



# Motivation



---

- ▶ Prone to lifting
- ▶ User authentication






# Current Authentication Approaches

---






# Current Authentication Approaches






# Current Authentication Approaches

- ▶ One time





# Current Authentication Approaches

- ▶ One time
- ▶ Interrupt




# Current Authentication Approaches

- ▶ One time
- ▶ Interrupt
- ▶ Weak




# Our approach

---



# Our approach

---



- ▶ Running in the background
- ▶ Continuously monitoring

# Usage Patterns

---



- ▶ Intermittent Usage




- ▶ Spatial Disconnection



- ▶ Orientations

# Gestures

---



sliding  
right



sliding  
left




sliding  
down



sliding  
up




tap



# Touch Data

---




Touch Position

Touch Area

Touch Pressure


# Metrics of Sliding

- ▶ First Touch Position
- ▶ First Touch Pressure
- ▶ First Touch Area
- ▶ First Moving Direction
- ▶ Moving Distance
- ▶ Moving Duration
- ▶ Average Moving Direction
- ▶ Average Moving Curvature
- ▶ Average Curvature Distance




# Metrics of Sliding

- ▶ First Touch Position
- ▶ First Touch Pressure
- ▶ First Touch Area
- ▶ First Moving Direction
- ▶ Moving Distance
- ▶ Moving Duration
- ▶ Average Moving Direction
- ▶ Average Moving Curvature
- ▶ Average Curvature Distance




# Metrics of Sliding

- ▶ Average Pressure
- ▶ Average Touch Area
- ▶ Max-area Portion
- ▶ Min-pressure Portion




# Metrics of Sliding

- ▶ Average Pressure
- ▶ Average Touch Area
- ▶ Max-area Portion
- ▶ Min-pressure Portion




# Metrics of Sliding

- ▶ Average Pressure
- ▶ Average Touch Area
- ▶ Max-area Portion
- ▶ Min-pressure Portion




# Metrics of Sliding

- ▶ Average Pressure
- ▶ Average Touch Area
- ▶ Max-area Portion
- ▶ Min-pressure Portion



# Metrics of Sliding

- ▶ Average Pressure
- ▶ Average Touch Area
- ▶ Max-area Portion
- ▶ Min-pressure Portion



# Metrics of Tap

---

- ▶ Average Touch Area
- ▶ Duration
- ▶ Average Touch Pressure

# Metric Selection

---

- A good metric can distinguish two users from each other



$[a_1, a_2, a_3 \dots]$



$[a'_1, a'_2, a'_3 \dots]$


# Metric Selection

---



- A good metric can distinguish two users from each other



$[a_1, a_2, a_3 \dots]$




$[a'_1, a'_2, a'_3 \dots]$



# Metric Selection

---

- A good metric can distinguish two users from each other




$H_0$ : from the same distribution

$H_1$ : from different distributions

# Metric Selection

---


- A good metric can distinguish two users from each other



$H_0$ : from the same distribution


$H_1$ : from different distributions

# Metric Selection




Sliding up

# Metric Selection




Sliding up

# Metric Selection




Sliding up

# Metric Selection




Sliding up

# Metric Selection




Sliding up

# Metric Selection




Sliding up


# Metric Selection



Sliding down




Sliding left



Sliding right



# Metric Selection

---



# Feature Vector



---



feature vector

# Feature Vector

---



feature vector

14 sliding gestures  
20 tap gestures

# Classification Modules

---

Portrait	Landscape
sliding up	sliding up
sliding down	sliding down
sliding left	sliding left
sliding right	sliding right
sliding up + tap	sliding up + tap
sliding down + tap	sliding down + tap
sliding left + tap	sliding left + tap
sliding right + tap	sliding right + tap

# Classification Modules

---

Portrait	Landscape
sliding up	sliding up
sliding down	sliding down
sliding left	sliding left
sliding right	sliding right
sliding up + tap	sliding up + tap
sliding down + tap	sliding down + tap
sliding left + tap	sliding left + tap
sliding right + tap	sliding right + tap

# Classification Modules

---

Portrait	Landscape
sliding up	sliding up
sliding down	sliding down
sliding left	sliding left
sliding right	sliding right
sliding up + tap	sliding up + tap
sliding down + tap	sliding down + tap
sliding left + tap	sliding left + tap
sliding right + tap	sliding right + tap

# Evaluation Setup


---



FroYo

# Evaluation Setup


---



# Evaluation Setup


---

Free style usage




# Evaluation Setup


Free style usage




education



gender




age



# Evaluation Setup


Free style usage




28: enough gestures

47: 15 minutes


education



gender





age





# Training Set Size

portrait




landscape




# Training Set Size

portrait




# Training Set Size

portrait




# Training Set Size

portrait







# Training Set Size

portrait




# Using Tap







# Using Tap

---



# Using Tap



# Response Time

---

	sliding up	sliding down	sliding left	sliding right	tap
portrait	8.24	14.25	37.13	22.47	14.12
landscape	12.14	19.23	50.74	34.27	18.73

# Response Time

---

	sliding up	sliding down	sliding left	sliding right	tap
portrait	8.24	14.25	37.13	22.47	14.12
landscape	12.14	19.23	50.74	34.27	18.73

# Response Time

---

	sliding up	sliding down	sliding left	sliding right	tap
portrait	8.24	14.25	37.13	22.47	14.12
landscape	12.14	19.23	50.74	34.27	18.73

# Conclusions

---


- It is possible to use gesture patterns to re-authenticate users
- Exploring the gesture patterns, we can construct an unobservable and continuous user re-authentication system

---

# Thank you !




# System Architecture




Re-authentication module

# System Architecture




# System Architecture




Re-authentication module


# System Architecture



# System Architecture




# System Architecture



# Evaluation Setup

---

target users



non-target users




training set

testing set

# Evaluation Setup

---

target users



non-target users



training set


testing set



# Evaluation Setup

---

target users




non-target users



training set


testing set



# Evaluation Setup

---

target users





non-target users



training set


testing set



# Evaluation Setup

---


target users




non-target users



training set




testing set



# Evaluation Setup

---


target users




non-target users



training set



testing set




# Evaluation Setup


---



training set



testing set



# Evaluation Setup

---


training  
pool




testing  
pool



training set



testing set



# Evaluation Setup

---



training  
pool




testing  
pool



training set



testing set



# Evaluation Setup

---



training  
pool





testing  
pool



training set



testing set



# Evaluation Setup

---



training  
pool





testing  
pool



training set



testing set





**NEW**





# Gesture Block Size

portrait




landscape



# Gesture Block Size


portrait



landscape

# Gesture Block Size



portrait





landscape

# Gesture Block Size

portrait




landscape



# Gesture Block Size



portrait



landscape

# Gesture Block Size

portrait



landscape

