




he Postman Always Rings Twice:

Attacking & Defending postMessage in HTML5 Websites



Sooel Son and Vitaly Shmatikov


The University of Texas at Austin



postMessage



Purpose: a "hole" in same origin policy






























Using postMessage

http://alice.edu







Check the origin of received messages!



function msgReceiver(e) {
 if(e.origin !== "http://hostA")

HTML Living Standard (whatwg.org)

Authors should check the origin attribute to ensure that messages are only accepted from domains that they expect to receive messages from


Why check the origin of received message?



And if the check is wrong?











I 좋아요 <974만 American Idol

SIGN IN | SIGN UP | SIGN UP





SEARCH

AUDITIONS TOUR CONTESTANTS **PHOTOS EXTRAS** MUSIC **BEHIND THE SCENES VIDEOS** COMMUNITY SHOP **ABOUT**

▼ Recent Articles

Weekly Scoop: November

Phillip Phillips Gives Online Concert to Benefit Victims of Hurricane Sandy

Colton Joins Third Day on The Miracle Tour

Carrie Underwood Extends "Blown Away Tour" into 2013

Scotty McCreery and Adam Lambert Bring Total Idol #1's to 365

- **▶** 2012 (455)
- **▶** 2011 (455)
- **▶** 2010 (395)
- ▶ 2009 (395)

AMERICAN IDOL NEWS



Monday, Nov 5th 2012

Weekly Scoop: November Fun

If this week is any indication, November is shaping up to be a busy month for Idol alumni all over the country! Taylor Hicks, Lee DeWyze, Elliott Yamin and Carrie Underwood are all performing this week!

Check out where your favorite Idols are performing all over the country:

Monday 11/5


Taylor Hicks performs at The Indigo at






• We collected postMessage receivers from Alexa top 10,000 sites

• RvScope: our tool for collecting receivers



Attack page



X-Frame-Header could have prevented our attack...

... only 298 pages use X-Frame-Header among Alexa top 10,000

postMessage Vulnerabilities in the Wild

Among 16,115 pages from 10,121 host names

2,245 hosts (22%) have a postMessage receiver

1,585 hosts have a receiver with no origin check

262 hosts have an incorrect origin check



84 hosts have exploitable vulnerabilities





Incorrect origin checks

Origin check

Host name that passes the check

Existing domains

if(/[\/ \.]chartbeat.com\$/.test(a.origin))	evil.chartbeat-com	0	
if(m.origin.indexOf("sharethis.com") != -1)	sharethis.comnet.com	2,291	
	evilsharethis.com		
if(a.origin &&	www.kissmetrics.comnet.com	2,276	
a.origin.match(/\.kissmetrics\.com/))	www.kissmetrics.com.evil.com	•	
<pre>var w = /jumptime\.com(:[0-9]?\$/; if(!v.origin.match(w))</pre>	bogusjumptime.com	2	





if(/[\/ \.]chartbeat.com\$/.test(a.origin))	evil.chartbeat-com	0
if(m.origin.indexOf("sharethis.com") != -1	sharethis.comnet.com	2,291
ii(iii.origiii.iiidexOr(sitaretiiis.eoiii) := *	evilsharethis.com	,
if(a.origin &&	www.kissmetrics.comnet.com	2,276
a.origin.match(/\.kissmetrics\.com/))	www.kissmetrics.com.evil.com	,
<pre>var w = /jumptime\.com(:[0-9]?\$/; if(!v.origin.match(w))</pre>	bogusjumptime.com	2




Lessons


Perform correct checks on the origin of received messages








the origin of rece



Put a correct origin check in every receiver!

Threat models

Light threat model




Heavy threat model



- Site owner is malicious.
- Site owner abuses a receiver in third-party content


Light threat model



Site owner is honest.

The receiver in thirdparty content should accept messages only from site owner's origin.

Heavy threat model



• Site owner is malicious.

• Site owner abuses a receiver in third-party content

Defenses

1. Origin-based defense



2. Frame-based defense



3. CSP extension




essons

Perform correct checks on the origin of received messages



Origin-based defense with a shared token

- Defense for third-party content
- Works against the "light" threat model



Defenses

1. Origin-based defense



2. Frame-based defense



3. CSP extension




essons

Perform correct checks on the origin of received messages




Frame-based Defense

- Defense for third-party content
- Works against the "light" threat model



Works against the "light" threat model



Defenses

1. Origin-based defense



2. Frame-based defense



3. CSP extension



essons

Perform correct checks on the origin of received messages



Extended Content Security Policy (CSP)

- Defense for site owners
- Explicitly restricts origins of received messages
- Requires browser support

X-Content-Security-Policy: msg-src http://www.valid.com *.edu;

Accept postMessage only from http://www.valid.com or *.edu

Defenses

1. Origin-based defense



2. Frame-based defense



3. CSP extension



essons

Perform correct checks on the origin of received messages



Q & A